

Subject Data
ID: ---
Name:
Date of Birth:21-Sep-1677
Age: 340
Gender: ---

Study & Visit Data
Protocol ID: ---
Site ID: ---
Investigator ID: ---
Visit ID: ---
Date & Time: 31-May-2018 13:40:23
Duration: 3d 20:56:03

Machine Data
Device: Savvy 1.0.2 hw=1.23MobECG 1.7.8
Device ID: ---
Software: ---
Manufacturer : ---

Treatment

Referred by:

Analysis Data

Total QRS: 440652	Min	Max	Avr
Analyzed Data: 3d 13:55:30, Noise: 06:18:28 (6.8%)	RR (ms) 492 (D3 14:11:20)	1117 (D2 13:57:41)	707
	HR (bpm) 59 (D1 11:06:00)	118 (D3 20:50:18)	85

Atrial Fibrillation: -

VPB
Total Number: 39 (0.01%)
Isolated V: 35
Ventricular Couplets: 2
Ventricular Run: 0
- Longest : -
- Fastest : -
V Bigeminy: 0
V Trigeminy: 1, Longest (5.44 s) at 06:28:55
Ventricular Tachycardia: 0

SVPB
Total Number: 615 (0.14%)
Isolated S: 446
Supraventricular Couplets: 65
Supraventricular Run: 9
- Longest at D2 21:48:03, 9 beats, HR: 144 bpm
- Fastest at D3 06:19:33, 3 beats, HR: 167 bpm
SV Bigeminy: 0
SV Trigeminy: 2, Longest (5.85 s) at 03:29:01
Supraventricular Tachycardia: 0

Bradycardia: 0
Pauses: 0

HRV
PNN50: 0.40 %
SDNN: 54.08 ms
RMSSD: 16.04 ms

Analysis Settings

Analysis Software: CER-S v4.1.0SPRINT1_BETA2 - Beat Detection (ABILE-Pancrazio v1.5.0) - Rhythm Analysis (ABILE-Pancrazio v1.5.0)

BEAT DETECTION

- Leads used for detection: Unknown1
- Noise sensitivity level: High


RHYTHM ANALYSIS

- Prematurity index: 75%
- Prolonged RR Interval Threshold: 150%
- Bradycardia Threshold: 45 bpm, Min. Len.: 10.0 s
- Vent. Tachycardia Thresh.: 150 bpm, Min. Len.: 5.0 s
- Average RR Window size: 8
- Pause Threshold: 2.5 s
- Supravent. Tachycardia Thresh.: 150 bpm, Min. Len.: 5.0 s


Review

Date of Analysis _____Reviewer: _____

Time-Rhythm Plot



RR Average with extrema and Standard Deviation. (RR window = 10 minute(s))



Beats and Rhythm Table - Part 1 of 9

Time	Analyzed Time	RR Min	RR Max	RR Average	RR StDev	HR Min	HR Max	HR Average	HR StDev	Brady	Pauses	Prolonged RR Intervals	SVPB Isolated	SV Couplet	SV Run	SV Bg	SV Tg
D1 13:40:23 - 13:59:59	00:18:25 (93.9%)	602	984	747	29.13	75	87	80	7.05	-	-	-	-	-	-	-	-
D1 14:00:00 - 14:59:59	00:57:39 (96.1%)	633	859	725	53.47	74	92	83	13.21	-	-	-	-	-	-	-	-
D1 15:00:00 - 15:59:59	00:57:30 (95.9%)	547	898	707	42.28	78	92	85	13.11	-	-	-	1	-	-	-	-
D1 16:00:00 - 16:59:59	00:57:30 (95.8%)	641	891	743	47.62	73	91	81	11.92	-	-	-	-	-	-	-	-
D1 17:00:00 - 17:59:59	00:57:36 (96.0%)	539	875	703	40.27	78	94	85	9.40	-	-	-	1	-	-	-	-
D1 18:00:00 - 18:59:59	00:57:20 (95.6%)	547	961	691	50.54	78	99	87	6.60	-	-	-	-	-	2	-	-
D1 19:00:00 - 19:59:59	00:57:34 (96.0%)	617	984	728	41.91	76	91	83	9.89	-	-	-	1	-	-	-	-
D1 20:00:00 - 20:59:59	00:57:22 (95.6%)	508	945	696	40.00	78	97	86	7.74	-	-	-	2	-	-	-	-
D1 21:00:00 - 21:59:59	00:57:31 (95.9%)	609	797	696	44.49	78	95	86	8.98	-	-	-	-	-	-	-	-
D1 22:00:00 - 22:59:59	00:57:38 (96.1%)	570	945	706	42.32	79	96	85	4.96	-	-	-	1	-	-	-	-
D1 23:00:00 - 23:59:59	00:57:37 (96.0%)	539	1000	716	44.20	77	95	84	13.08	-	-	-	2	-	-	-	-
D1 00:00:00 - 00:59:59	00:57:21 (95.6%)	563	984	732	44.02	77	93	82	3.74	-	-	-	-	-	-	-	-
D1 01:00:00 - 01:59:59	00:57:03 (95.1%)	594	859	732	26.92	76	91	82	3.01	-	-	-	-	-	-	-	-
D1 02:00:00 - 02:59:59	00:57:25 (95.7%)	633	914	727	41.02	77	93	83	10.17	-	-	-	1	-	-	-	-
D1 03:00:00 - 03:59:59	00:57:27 (95.8%)	625	797	723	29.24	78	93	83	3.38	-	-	-	-	-	-	-	-
D1 04:00:00 - 04:59:59	00:57:05 (95.1%)	563	969	717	42.09	77	93	84	11.97	-	-	-	1	-	-	-	-
D1 05:00:00 - 05:59:59	00:56:36 (94.4%)	625	789	708	37.96	78	94	85	11.90	-	-	-	-	1	-	-	-
D1 06:00:00 - 06:59:59	00:57:26 (95.7%)	617	938	725	26.92	77	90	83	11.53	-	-	-	3	-	-	-	-
D1 07:00:00 - 07:59:59	00:57:00 (95.0%)	570	984	738	36.42	75	90	81	7.94	-	-	-	1	-	-	-	-
D1 08:00:00 - 08:59:59	00:55:50 (93.1%)	602	891	699	49.43	76	99	86	8.09	-	-	-	1	1	-	-	-
D1 09:00:00 - 09:59:59	00:56:39 (94.4%)	547	852	740	38.36	72	91	81	5.72	-	-	-	-	1	-	-	-
D1 10:00:00 - 10:59:59	00:56:07 (93.5%)	633	1008	768	55.46	68	93	78	7.55	-	-	-	-	-	-	-	-
D1 11:00:00 - 11:59:59	00:56:55 (94.9%)	648	1094	811	68.19	59	92	74	8.42	-	-	-	-	-	-	-	-
D1 12:00:00 - 12:59:59	00:54:34 (91.0%)	602	1102	749	94.79	60	99	81	9.20	-	-	-	-	-	-	-	-
D1 13:00:00 - D2 13:59:59	00:57:31 (95.9%)	695	1117	833	77.37	60	84	72	9.46	-	-	-	-	-	-	-	-
D2 14:00:00 - 14:59:59	00:57:34 (95.9%)	695	1102	859	79.35	60	83	70	7.24	-	-	-	1	-	-	-	-
D2 15:00:00 - 15:59:59	00:57:52 (96.5%)	625	1078	817	76.35	62	87	74	11.98	-	-	-	4	-	-	-	-
D2 16:00:00 - 16:59:59	00:58:05 (96.8%)	656	1063	760	65.91	64	90	79	8.32	-	-	-	2	-	-	-	-
D2 17:00:00 - 17:59:59	00:57:45 (96.3%)	672	828	730	38.99	76	87	82	6.52	-	-	-	-	-	-	-	-
D2 18:00:00 - 18:59:59	00:56:54 (94.9%)	609	891	716	35.79	76	91	84	12.30	-	-	-	1	-	-	-	-
D2 19:00:00 - 19:59:59	00:57:49 (96.4%)	547	922	693	26.27	79	93	87	10.48	-	-	-	2	-	-	-	-
D2 20:00:00 - 20:59:59	00:57:42 (96.2%)	656	945	721	24.38	76	91	83	9.20	-	-	-	10	12	-	-	-
D2 21:00:00 - 21:59:59	00:57:35 (96.0%)	617	953	743	33.41	72	103	81	3.49	-	-	-	20	5	1	-	-
D2 22:00:00 - 22:59:59	00:57:42 (96.2%)	641	953	714	32.62	75	92	84	8.77	-	-	-	31	10	-	-	-
D2 23:00:00 - 23:59:59	00:56:44 (94.6%)	625	945	688	32.67	77	95	87	9.64	-	-	-	24	4	-	-	-
D2 00:00:00 - 00:59:59	00:57:05 (95.1%)	633	938	701	31.84	78	93	86	11.91	-	-	-	13	6	-	-	-
D2 01:00:00 - 01:59:59	00:56:10 (93.6%)	609	1000	714	54.47	73	95	84	8.44	-	-	-	10	2	-	-	-
D2 02:00:00 - 02:59:59	00:57:48 (96.4%)	531	953	735	41.39	72	89	82	2.76	-	-	-	45	3	-	-	-
D2 03:00:00 - 03:59:59	00:57:31 (95.9%)	633	969	721	49.91	75	98	84	3.06	-	-	-	86	4	-	-	-

Beats and Rhythm Table - Part 2 of 9

Time	Analyzed Time	SV Tachy	ATachy	AFib	AFlutter	V Isolated	V Couplet	V Run	V Bg	V Tg	V Tachy	VFib	VFlutter	Torsade de Pointes	AVB	N Beats	V Beats
D1 13:40:23 - 13:59:59	00:18:25 (93.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1489	-
D1 14:00:00 - 14:59:59	00:57:39 (96.1%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4798	-
D1 15:00:00 - 15:59:59	00:57:30 (95.9%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4907	1
D1 16:00:00 - 16:59:59	00:57:30 (95.8%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4672	-
D1 17:00:00 - 17:59:59	00:57:36 (96.0%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4945	-
D1 18:00:00 - 18:59:59	00:57:20 (95.6%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5004	-
D1 19:00:00 - 19:59:59	00:57:34 (96.0%)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4769	2
D1 20:00:00 - 20:59:59	00:57:22 (95.6%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4969	-
D1 21:00:00 - 21:59:59	00:57:31 (95.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4987	-
D1 22:00:00 - 22:59:59	00:57:38 (96.1%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4925	1
D1 23:00:00 - 23:59:59	00:57:37 (96.0%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4856	-
D1 00:00:00 - 00:59:59	00:57:21 (95.6%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4730	-
D1 01:00:00 - 01:59:59	00:57:03 (95.1%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4709	-
D1 02:00:00 - 02:59:59	00:57:25 (95.7%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4768	-
D1 03:00:00 - 03:59:59	00:57:27 (95.8%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4797	-
D1 04:00:00 - 04:59:59	00:57:05 (95.1%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4811	-
D1 05:00:00 - 05:59:59	00:56:36 (94.4%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4828	1
D1 06:00:00 - 06:59:59	00:57:26 (95.7%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4779	-
D1 07:00:00 - 07:59:59	00:57:00 (95.0%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4661	1
D1 08:00:00 - 08:59:59	00:55:50 (93.1%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4832	1
D1 09:00:00 - 09:59:59	00:56:39 (94.4%)	-	-	-	-	3	-	-	-	-	-	-	-	-	-	4624	3
D1 10:00:00 - 10:59:59	00:56:07 (93.5%)	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4415	2
D1 11:00:00 - 11:59:59	00:56:55 (94.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4243	-
D1 12:00:00 - 12:59:59	00:54:34 (91.0%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4403	-
D1 13:00:00 - D2 13:59:59	00:57:31 (95.9%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4168	1
D2 14:00:00 - 14:59:59	00:57:34 (95.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4049	-
D2 15:00:00 - 15:59:59	00:57:52 (96.5%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4270	-
D2 16:00:00 - 16:59:59	00:58:05 (96.8%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4607	-
D2 17:00:00 - 17:59:59	00:57:45 (96.3%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4773	-
D2 18:00:00 - 18:59:59	00:56:54 (94.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4799	-
D2 19:00:00 - 19:59:59	00:57:49 (96.4%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5028	-
D2 20:00:00 - 20:59:59	00:57:42 (96.2%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4807	-
D2 21:00:00 - 21:59:59	00:57:35 (96.0%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4652	-
D2 22:00:00 - 22:59:59	00:57:42 (96.2%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4841	1
D2 23:00:00 - 23:59:59	00:56:44 (94.6%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4962	-
D2 00:00:00 - 00:59:59	00:57:05 (95.1%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4898	-
D2 01:00:00 - 01:59:59	00:56:10 (93.6%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4749	-
D2 02:00:00 - 02:59:59	00:57:48 (96.4%)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4709	2
D2 03:00:00 - 03:59:59	00:57:31 (95.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4762	-

Beats and Rhythm Table - Part 3 of 9

Time	Analyzed Time	S Beats
D1 13:40:23 - 13:59:59	00:18:25 (93.9%)	-
D1 14:00:00 - 14:59:59	00:57:39 (96.1%)	-
D1 15:00:00 - 15:59:59	00:57:30 (95.9%)	1
D1 16:00:00 - 16:59:59	00:57:30 (95.8%)	-
D1 17:00:00 - 17:59:59	00:57:36 (96.0%)	1
D1 18:00:00 - 18:59:59	00:57:20 (95.6%)	7
D1 19:00:00 - 19:59:59	00:57:34 (96.0%)	1
D1 20:00:00 - 20:59:59	00:57:22 (95.6%)	2
D1 21:00:00 - 21:59:59	00:57:31 (95.9%)	-
D1 22:00:00 - 22:59:59	00:57:38 (96.1%)	1
D1 23:00:00 - 23:59:59	00:57:37 (96.0%)	2
D1 00:00:00 - 00:59:59	00:57:21 (95.6%)	-
D1 01:00:00 - 01:59:59	00:57:03 (95.1%)	-
D1 02:00:00 - 02:59:59	00:57:25 (95.7%)	1
D1 03:00:00 - 03:59:59	00:57:27 (95.8%)	-
D1 04:00:00 - 04:59:59	00:57:05 (95.1%)	1
D1 05:00:00 - 05:59:59	00:56:36 (94.4%)	2
D1 06:00:00 - 06:59:59	00:57:26 (95.7%)	3
D1 07:00:00 - 07:59:59	00:57:00 (95.0%)	1
D1 08:00:00 - 08:59:59	00:55:50 (93.1%)	3
D1 09:00:00 - 09:59:59	00:56:39 (94.4%)	2
D1 10:00:00 - 10:59:59	00:56:07 (93.5%)	-
D1 11:00:00 - 11:59:59	00:56:55 (94.9%)	-
D1 12:00:00 - 12:59:59	00:54:34 (91.0%)	-
D1 13:00:00 - D2 13:59:59	00:57:31 (95.9%)	-
D2 14:00:00 - 14:59:59	00:57:34 (95.9%)	1
D2 15:00:00 - 15:59:59	00:57:52 (96.5%)	4
D2 16:00:00 - 16:59:59	00:58:05 (96.8%)	2
D2 17:00:00 - 17:59:59	00:57:45 (96.3%)	-
D2 18:00:00 - 18:59:59	00:56:54 (94.9%)	1
D2 19:00:00 - 19:59:59	00:57:49 (96.4%)	2
D2 20:00:00 - 20:59:59	00:57:42 (96.2%)	34
D2 21:00:00 - 21:59:59	00:57:35 (96.0%)	39
D2 22:00:00 - 22:59:59	00:57:42 (96.2%)	51
D2 23:00:00 - 23:59:59	00:56:44 (94.6%)	32
D2 00:00:00 - 00:59:59	00:57:05 (95.1%)	25
D2 01:00:00 - 01:59:59	00:56:10 (93.6%)	14
D2 02:00:00 - 02:59:59	00:57:48 (96.4%)	51
D2 03:00:00 - 03:59:59	00:57:31 (95.9%)	94

Beats and Rhythm Table - Part 4 of 9

Time	Analyzed Time	RR Min	RR Max	RR Average	RR StDev	HR Min	HR Max	HR Average	HR StDev	Brady	Pauses	Prolonged RR Intervals	SVPB Isolated	SV Couplet	SV Run	SV Bg	SV Tg
D2 04:00:00 - 04:59:59	00:57:29 (95.8%)	563	891	667	38.44	80	101	90	7.20	-	-	-	8	8	-	-	-
D2 05:00:00 - 05:59:59	00:57:34 (95.9%)	570	680	631	29.54	91	101	95	6.44	-	-	-	-	-	-	-	-
D2 06:00:00 - 06:59:59	00:57:26 (95.7%)	500	852	645	34.92	88	98	93	4.88	-	-	-	1	-	-	-	-
D2 07:00:00 - 07:59:59	00:57:56 (96.6%)	563	922	683	37.16	81	97	88	6.31	-	-	-	31	3	-	-	-
D2 08:00:00 - 08:59:59	00:57:28 (95.8%)	563	883	664	51.23	78	105	91	13.64	-	-	-	1	-	-	-	-
D2 09:00:00 - 09:59:59	00:56:54 (94.8%)	516	820	653	35.09	83	99	92	13.71	-	-	-	-	1	-	-	-
D2 10:00:00 - 10:59:59	00:57:04 (95.1%)	516	844	687	36.33	83	100	87	8.45	-	-	-	-	-	-	-	-
D2 11:00:00 - 11:59:59	00:57:15 (95.4%)	609	820	686	43.02	82	96	88	10.91	-	-	-	2	-	-	-	-
D2 12:00:00 - 12:59:59	00:55:17 (92.1%)	563	953	708	42.10	77	104	85	11.58	-	-	-	2	-	-	-	-
D2 13:00:00 - D3 13:59:59	00:56:01 (93.4%)	578	883	720	43.57	78	101	83	8.57	-	-	-	2	-	-	-	-
D3 14:00:00 - 14:59:59	00:54:31 (90.9%)	492	938	721	45.11	73	104	83	10.01	-	-	-	18	-	-	-	-
D3 15:00:00 - 15:59:59	00:57:38 (96.1%)	563	945	702	36.94	76	90	86	10.35	-	-	-	2	-	-	-	-
D3 16:00:00 - 16:59:59	00:34:39 (57.8%)	617	750	692	40.09	83	95	87	11.68	-	-	-	-	-	-	-	-
D3 17:00:00 - 17:59:59	00:56:27 (94.1%)	594	813	697	40.53	80	100	86	7.07	-	-	-	2	-	-	-	-
D3 18:00:00 - 18:59:59	00:55:11 (92.0%)	570	750	657	46.39	82	103	91	10.42	-	-	-	1	-	-	-	-
D3 19:00:00 - 19:59:59	00:54:01 (90.1%)	500	828	665	35.21	84	105	90	8.29	-	-	-	1	-	1	-	-
D3 20:00:00 - 20:59:59	00:52:28 (87.5%)	508	836	668	48.00	85	118	90	14.15	-	-	-	4	-	-	-	-
D3 21:00:00 - 21:59:59	00:56:33 (94.3%)	602	859	689	45.96	78	97	87	8.31	-	-	-	8	1	-	-	-
D3 22:00:00 - 22:59:59	00:54:43 (91.2%)	555	883	690	49.28	79	107	87	8.35	-	-	-	1	-	-	-	-
D3 23:00:00 - 23:59:59	00:56:55 (94.9%)	602	852	688	38.84	77	97	87	9.16	-	-	-	2	-	-	-	-
D3 00:00:00 - 00:59:59	00:57:36 (96.0%)	625	813	741	45.95	76	92	81	3.99	-	-	-	-	-	-	-	-
D3 01:00:00 - 01:59:59	00:57:20 (95.6%)	609	953	730	40.99	69	92	82	6.85	-	-	-	-	-	-	-	-
D3 02:00:00 - 02:59:59	00:57:25 (95.7%)	633	914	739	51.88	70	91	81	8.48	-	-	-	-	-	-	-	-
D3 03:00:00 - 03:59:59	00:56:20 (93.9%)	547	1031	742	70.17	67	102	81	9.92	-	-	-	3	1	-	-	-
D3 04:00:00 - 04:59:59	00:57:31 (95.9%)	609	1039	713	58.08	70	96	84	10.49	-	-	-	-	-	-	-	-
D3 05:00:00 - 05:59:59	00:57:01 (95.0%)	578	820	696	33.90	78	102	86	8.62	-	-	-	-	-	-	-	-
D3 06:00:00 - 06:59:59	00:56:39 (94.4%)	563	891	699	51.44	77	100	86	5.99	-	-	-	4	-	1	-	-
D3 07:00:00 - 07:59:59	00:56:25 (94.0%)	492	805	671	47.82	82	102	90	11.71	-	-	-	1	-	-	-	-
D3 08:00:00 - 08:59:59	00:57:32 (95.9%)	508	859	641	45.66	83	103	94	13.09	-	-	-	-	-	-	-	-
D3 09:00:00 - 09:59:59	00:57:44 (96.2%)	594	789	660	38.71	83	98	91	3.24	-	-	-	1	-	-	-	-
D3 10:00:00 - 10:59:59	00:48:36 (81.0%)	547	750	644	50.00	82	109	94	11.86	-	-	-	-	-	-	-	-
D3 11:00:00 - 11:59:59	00:57:04 (95.1%)	578	789	682	33.91	78	100	88	6.89	-	-	-	-	1	-	-	-
D3 12:00:00 - 12:59:59	00:57:10 (95.3%)	633	773	701	29.41	79	93	86	10.93	-	-	-	-	-	-	-	-
D3 13:00:00 - D4 13:59:59	00:55:59 (93.3%)	555	836	693	38.48	80	95	87	11.27	-	-	-	-	-	-	-	-
D4 14:00:00 - 14:59:59	00:57:21 (95.6%)	625	844	709	25.26	79	92	85	10.96	-	-	-	1	-	-	-	-
D4 15:00:00 - 15:59:59	00:54:29 (90.8%)	508	766	689	50.07	80	117	87	8.36	-	-	-	-	-	-	-	-
D4 16:00:00 - 16:59:59	00:56:57 (94.9%)	570	922	722	39.60	78	87	83	4.96	-	-	-	3	-	-	-	-
D4 17:00:00 - 17:59:59	00:56:33 (94.3%)	602	789	698	46.05	78	97	86	6.95	-	-	-	1	-	-	-	-
D4 18:00:00 - 18:59:59	00:56:24 (94.0%)	586	773	689	41.28	78	102	87	8.67	-	-	-	-	-	-	-	-

Beats and Rhythm Table - Part 5 of 9

Time	Analyzed Time	SV Tachy	ATachy	AFib	AFlutter	V Isolated	V Couplet	V Run	V Bg	V Tg	V Tachy	VFib	VFlutter	Torsade de Pointes	AVB	N Beats	V Beats
D2 04:00:00 - 04:59:59	00:57:29 (95.8%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5183	-
D2 05:00:00 - 05:59:59	00:57:34 (95.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5505	-
D2 06:00:00 - 06:59:59	00:57:26 (95.7%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5372	-
D2 07:00:00 - 07:59:59	00:57:56 (96.6%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5088	-
D2 08:00:00 - 08:59:59	00:57:28 (95.8%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5221	-
D2 09:00:00 - 09:59:59	00:56:54 (94.8%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	5257	1
D2 10:00:00 - 10:59:59	00:57:04 (95.1%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5009	-
D2 11:00:00 - 11:59:59	00:57:15 (95.4%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5038	-
D2 12:00:00 - 12:59:59	00:55:17 (92.1%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4715	-
D2 13:00:00 - D3 13:59:59	00:56:01 (93.4%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4704	-
D3 14:00:00 - 14:59:59	00:54:31 (90.9%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4551	1
D3 15:00:00 - 15:59:59	00:57:38 (96.1%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4955	-
D3 16:00:00 - 16:59:59	00:34:39 (57.8%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3030	-
D3 17:00:00 - 17:59:59	00:56:27 (94.1%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4895	1
D3 18:00:00 - 18:59:59	00:55:11 (92.0%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5077	-
D3 19:00:00 - 19:59:59	00:54:01 (90.1%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4902	1
D3 20:00:00 - 20:59:59	00:52:28 (87.5%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4741	-
D3 21:00:00 - 21:59:59	00:56:33 (94.3%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4955	-
D3 22:00:00 - 22:59:59	00:54:43 (91.2%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4792	-
D3 23:00:00 - 23:59:59	00:56:55 (94.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4994	-
D3 00:00:00 - 00:59:59	00:57:36 (96.0%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4691	-
D3 01:00:00 - 01:59:59	00:57:20 (95.6%)	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4736	2
D3 02:00:00 - 02:59:59	00:57:25 (95.7%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4692	-
D3 03:00:00 - 03:59:59	00:56:20 (93.9%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4584	1
D3 04:00:00 - 04:59:59	00:57:31 (95.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4870	-
D3 05:00:00 - 05:59:59	00:57:01 (95.0%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4946	1
D3 06:00:00 - 06:59:59	00:56:39 (94.4%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4894	-
D3 07:00:00 - 07:59:59	00:56:25 (94.0%)	-	-	-	-	3	-	-	-	-	-	-	-	-	-	5072	3
D3 08:00:00 - 08:59:59	00:57:32 (95.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5416	-
D3 09:00:00 - 09:59:59	00:57:44 (96.2%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5275	-
D3 10:00:00 - 10:59:59	00:48:36 (81.0%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4577	-
D3 11:00:00 - 11:59:59	00:57:04 (95.1%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	5047	1
D3 12:00:00 - 12:59:59	00:57:10 (95.3%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4923	-
D3 13:00:00 - D4 13:59:59	00:55:59 (93.3%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4879	-
D4 14:00:00 - 14:59:59	00:57:21 (95.6%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4880	1
D4 15:00:00 - 15:59:59	00:54:29 (90.8%)	-	-	-	-	2	-	-	-	-	-	-	-	-	-	4782	2
D4 16:00:00 - 16:59:59	00:56:57 (94.9%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4766	-
D4 17:00:00 - 17:59:59	00:56:33 (94.3%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4901	-
D4 18:00:00 - 18:59:59	00:56:24 (94.0%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4944	-

Beats and Rhythm Table - Part 6 of 9

Time	Analyzed Time	S Beats
D2 04:00:00 - 04:59:59	00:57:29 (95.8%)	24
D2 05:00:00 - 05:59:59	00:57:34 (95.9%)	-
D2 06:00:00 - 06:59:59	00:57:26 (95.7%)	1
D2 07:00:00 - 07:59:59	00:57:56 (96.6%)	37
D2 08:00:00 - 08:59:59	00:57:28 (95.8%)	1
D2 09:00:00 - 09:59:59	00:56:54 (94.8%)	2
D2 10:00:00 - 10:59:59	00:57:04 (95.1%)	-
D2 11:00:00 - 11:59:59	00:57:15 (95.4%)	2
D2 12:00:00 - 12:59:59	00:55:17 (92.1%)	2
D2 13:00:00 - D3 13:59:59	00:56:01 (93.4%)	2
D3 14:00:00 - 14:59:59	00:54:31 (90.9%)	18
D3 15:00:00 - 15:59:59	00:57:38 (96.1%)	2
D3 16:00:00 - 16:59:59	00:34:39 (57.8%)	-
D3 17:00:00 - 17:59:59	00:56:27 (94.1%)	2
D3 18:00:00 - 18:59:59	00:55:11 (92.0%)	1
D3 19:00:00 - 19:59:59	00:54:01 (90.1%)	6
D3 20:00:00 - 20:59:59	00:52:28 (87.5%)	4
D3 21:00:00 - 21:59:59	00:56:33 (94.3%)	10
D3 22:00:00 - 22:59:59	00:54:43 (91.2%)	1
D3 23:00:00 - 23:59:59	00:56:55 (94.9%)	2
D3 00:00:00 - 00:59:59	00:57:36 (96.0%)	-
D3 01:00:00 - 01:59:59	00:57:20 (95.6%)	-
D3 02:00:00 - 02:59:59	00:57:25 (95.7%)	-
D3 03:00:00 - 03:59:59	00:56:20 (93.9%)	5
D3 04:00:00 - 04:59:59	00:57:31 (95.9%)	-
D3 05:00:00 - 05:59:59	00:57:01 (95.0%)	-
D3 06:00:00 - 06:59:59	00:56:39 (94.4%)	7
D3 07:00:00 - 07:59:59	00:56:25 (94.0%)	1
D3 08:00:00 - 08:59:59	00:57:32 (95.9%)	-
D3 09:00:00 - 09:59:59	00:57:44 (96.2%)	1
D3 10:00:00 - 10:59:59	00:48:36 (81.0%)	-
D3 11:00:00 - 11:59:59	00:57:04 (95.1%)	2
D3 12:00:00 - 12:59:59	00:57:10 (95.3%)	-
D3 13:00:00 - D4 13:59:59	00:55:59 (93.3%)	-
D4 14:00:00 - 14:59:59	00:57:21 (95.6%)	1
D4 15:00:00 - 15:59:59	00:54:29 (90.8%)	-
D4 16:00:00 - 16:59:59	00:56:57 (94.9%)	3
D4 17:00:00 - 17:59:59	00:56:33 (94.3%)	1
D4 18:00:00 - 18:59:59	00:56:24 (94.0%)	-

Beats and Rhythm Table - Part 7 of 9

Time	Analyzed Time	RR Min	RR Max	RR Average	RR StDev	HR Min	HR Max	HR Average	HR StDev	Brady	Pauses	Prolonged RR Intervals	SVPB Isolated	SV Couplet	SV Run	SV Bg	SV Tg
D4 19:00:00 - 19:59:59	00:56:53 (94.8%)	594	742	669	35.09	83	99	90	12.33	-	-	-	-	-	-	-	-
D4 20:00:00 - 20:59:59	00:57:05 (95.1%)	602	789	697	39.44	80	97	86	7.24	-	-	-	-	-	-	-	-
D4 21:00:00 - 21:59:59	00:57:06 (95.2%)	609	789	710	31.19	78	96	85	10.81	-	-	-	-	-	-	-	-
D4 22:00:00 - 22:59:59	00:56:31 (94.2%)	500	766	655	44.19	81	101	92	13.11	-	-	-	-	-	-	-	-
D4 23:00:00 - 23:59:59	00:56:43 (94.5%)	578	813	681	54.55	79	103	88	10.89	-	-	-	-	-	-	-	-
D4 00:00:00 - 00:59:59	00:57:23 (95.6%)	641	1039	751	37.86	68	92	80	12.64	-	-	-	5	-	-	-	-
D4 01:00:00 - 01:59:59	00:57:22 (95.6%)	648	1016	783	56.36	66	89	77	12.97	-	-	-	22	-	1	-	-
D4 02:00:00 - 02:59:59	00:57:10 (95.3%)	641	1023	758	49.35	66	90	79	8.42	-	-	-	3	-	1	-	-
D4 03:00:00 - 03:59:59	00:54:54 (91.5%)	539	1063	725	70.53	68	109	83	10.50	-	-	-	44	-	2	-	2
D4 04:00:00 - 04:59:59	00:56:24 (94.0%)	609	938	698	52.21	76	96	86	7.60	-	-	-	4	-	-	-	-
D4 05:00:00 - 05:59:59	00:55:22 (92.3%)	508	750	656	41.80	81	106	92	11.89	-	-	-	-	-	-	-	-
D4 06:00:00 - 06:59:59	00:57:03 (95.1%)	555	852	682	56.25	78	107	89	11.39	-	-	-	3	1	-	-	-
D4 07:00:00 - 07:59:59	00:54:53 (91.5%)	555	789	656	54.24	79	108	92	14.04	-	-	-	-	-	-	-	-
D4 08:00:00 - 08:59:59	00:25:39 (42.8%)	555	734	600	32.57	94	106	100	4.72	-	-	-	1	-	-	-	-
D4 09:00:00 - 09:59:59	00:00:00 (0%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D4 10:00:00 - 10:36:26	00:25:46 (70.7%)	656	805	716	24.23	79	90	84	11.73	-	-	-	-	-	-	-	-
D1 Day: 08:00:00 - 20:00:00	11:22:23 (94.8%)	539	1102	737	70.89	59	99	82	13.35	-	-	-	4	2	2	-	-
D2 Day: 08:00:00 - 20:00:00	11:25:57 (95.3%)	516	1117	722	77.47	60	105	84	13.22	-	-	-	16	1	-	-	-
D3 Day: 08:00:00 - 20:00:00	10:46:49 (89.8%)	492	945	679	46.34	73	109	89	11.36	-	-	-	26	1	1	-	-
D4 Day: 08:00:00 - 20:00:00	06:48:53 (76.3%)	508	922	690	47.25	78	117	87	8.02	-	-	-	6	-	-	-	-
All Days: 08:00:00 - 20:00:00	1d 16:24:04 (89.9%)	492	1117	709	70.43	59	117	85	8.63	-	-	-	52	4	3	-	-
D1 Night: 23:00:00 - 06:00:00	06:40:38 (95.4%)	539	1000	722	47.62	76	95	83	6.28	-	-	-	4	1	-	-	-
D2 Night: 23:00:00 - 06:00:00	06:40:25 (95.3%)	531	1000	692	48.04	72	101	87	8.03	-	-	-	186	27	-	-	-
D3 Night: 23:00:00 - 06:00:00	06:40:10 (95.3%)	547	1039	721	55.52	67	102	84	10.52	-	-	-	5	1	-	-	-
D4 Night: 23:00:00 - 06:00:00	06:35:21 (94.1%)	508	1063	720	69.27	66	109	84	14.29	-	-	-	78	-	4	-	2
All Nights: 23:00:00 - 06:00:00	1d 02:36:35 (95.0%)	508	1063	713	54.26	66	109	84	10.63	-	-	-	273	29	4	-	2
Entire Recording	3d 13:55:30 (92.5%)	492	1117	707	63.58	59	118	85	9.76	-	-	-	446	65	9	-	2

Beats and Rhythm Table - Part 8 of 9

Time	Analyzed Time	SV Tachy	ATachy	AFib	AFlutter	V Isolated	V Couplet	V Run	V Bg	V Tg	V Tachy	VFib	VFlutter	Torsade de Pointes	AVB	N Beats	V Beats
D4 19:00:00 - 19:59:59	00:56:53 (94.8%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5139	-
D4 20:00:00 - 20:59:59	00:57:05 (95.1%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4950	-
D4 21:00:00 - 21:59:59	00:57:06 (95.2%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4859	-
D4 22:00:00 - 22:59:59	00:56:31 (94.2%)	-	-	-	-	2	-	-	-	-	-	-	-	-	-	5214	2
D4 23:00:00 - 23:59:59	00:56:43 (94.5%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5035	-
D4 00:00:00 - 00:59:59	00:57:23 (95.6%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4607	-
D4 01:00:00 - 01:59:59	00:57:22 (95.6%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4409	-
D4 02:00:00 - 02:59:59	00:57:10 (95.3%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4553	-
D4 03:00:00 - 03:59:59	00:54:54 (91.5%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4547	-
D4 04:00:00 - 04:59:59	00:56:24 (94.0%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4878	1
D4 05:00:00 - 05:59:59	00:55:22 (92.3%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5108	-
D4 06:00:00 - 06:59:59	00:57:03 (95.1%)	-	-	-	-	4	-	-	-	1	-	-	-	-	-	5048	4
D4 07:00:00 - 07:59:59	00:54:53 (91.5%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5047	-
D4 08:00:00 - 08:59:59	00:25:39 (42.8%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2579	-
D4 09:00:00 - 09:59:59	00:00:00 (0%)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D4 10:00:00 - 10:36:26	00:25:46 (70.7%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2171	1
D1 Day: 08:00:00 - 20:00:00	11:22:23 (94.8%)	-	-	-	-	8	1	-	-	-	-	-	-	-	-	55896	10
D2 Day: 08:00:00 - 20:00:00	11:25:57 (95.3%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	57294	1
D3 Day: 08:00:00 - 20:00:00	10:46:49 (89.8%)	-	-	-	-	4	-	-	-	-	-	-	-	-	-	57471	4
D4 Day: 08:00:00 - 20:00:00	06:48:53 (76.3%)	-	-	-	-	4	-	-	-	-	-	-	-	-	-	35767	4
All Days: 08:00:00 - 20:00:00	1d 16:24:04 (89.9%)	-	-	-	-	17	1	-	-	-	-	-	-	-	-	206428	19
D1 Night: 23:00:00 - 06:00:00	06:40:38 (95.4%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	33499	1
D2 Night: 23:00:00 - 06:00:00	06:40:25 (95.3%)	-	-	-	-	-	1	-	-	-	-	-	-	-	-	34768	2
D3 Night: 23:00:00 - 06:00:00	06:40:10 (95.3%)	-	-	-	-	4	-	-	-	-	-	-	-	-	-	33513	4
D4 Night: 23:00:00 - 06:00:00	06:35:21 (94.1%)	-	-	-	-	1	-	-	-	-	-	-	-	-	-	33137	1
All Nights: 23:00:00 - 06:00:00	1d 02:36:35 (95.0%)	-	-	-	-	6	1	-	-	-	-	-	-	-	-	134917	8
Entire Recording	3d 13:55:30 (92.5%)	-	-	-	-	35	2	-	-	1	-	-	-	-	-	439998	39


Beats and Rhythm Table - Part 9 of 9

Time	Analyzed Time	S Beats
D4 19:00:00 - 19:59:59	00:56:53 (94.8%)	-
D4 20:00:00 - 20:59:59	00:57:05 (95.1%)	-
D4 21:00:00 - 21:59:59	00:57:06 (95.2%)	-
D4 22:00:00 - 22:59:59	00:56:31 (94.2%)	-
D4 23:00:00 - 23:59:59	00:56:43 (94.5%)	-
D4 00:00:00 - 00:59:59	00:57:23 (95.6%)	5
D4 01:00:00 - 01:59:59	00:57:22 (95.6%)	25
D4 02:00:00 - 02:59:59	00:57:10 (95.3%)	6
D4 03:00:00 - 03:59:59	00:54:54 (91.5%)	53
D4 04:00:00 - 04:59:59	00:56:24 (94.0%)	4
D4 05:00:00 - 05:59:59	00:55:22 (92.3%)	-
D4 06:00:00 - 06:59:59	00:57:03 (95.1%)	5
D4 07:00:00 - 07:59:59	00:54:53 (91.5%)	-
D4 08:00:00 - 08:59:59	00:25:39 (42.8%)	1
D4 09:00:00 - 09:59:59	00:00:00 (0%)	-
D4 10:00:00 - 10:36:26	00:25:46 (70.7%)	-
D1 Day: 08:00:00 - 20:00:00	11:22:23 (94.8%)	15
D2 Day: 08:00:00 - 20:00:00	11:25:57 (95.3%)	18
D3 Day: 08:00:00 - 20:00:00	10:46:49 (89.8%)	33
D4 Day: 08:00:00 - 20:00:00	06:48:53 (76.3%)	6
All Days: 08:00:00 - 20:00:00	1d 16:24:04 (89.9%)	72
D1 Night: 23:00:00 - 06:00:00	06:40:38 (95.4%)	6
D2 Night: 23:00:00 - 06:00:00	06:40:25 (95.3%)	240
D3 Night: 23:00:00 - 06:00:00	06:40:10 (95.3%)	7
D4 Night: 23:00:00 - 06:00:00	06:35:21 (94.1%)	93
All Nights: 23:00:00 - 06:00:00	1d 02:36:35 (95.0%)	346
Entire Recording	3d 13:55:30 (92.5%)	615

439998 Beats in 5 Templates [page 1 of 1]

50 mm/s 10 mm/mV

Templates N





39 Beats in 10 Templates [page 1 of 1]

Templates V

50 mm/s 10 mm/mV








Automatic Strips

Isolated Supraventricular Beat (Shortest): starting at 02-Jun-2018 13:19:54 (7 sec)

25 mm/s 5 mm/mV

**Supraventricular Couplet (Shortest):** starting at 01-Jun-2018 08:46:59 (7 sec)

25 mm/s 5 mm/mV

**Supraventricular Run (Longest):** starting at 01-Jun-2018 21:48:02 (7 sec)


25 mm/s 5 mm/mV

**Supraventricular Trigeminy (Longest):** starting at 04-Jun-2018 03:29:00 (7 sec)


25 mm/s 5 mm/mV

**Isolated Ventricular Beat (Shortest):** starting at 03-Jun-2018 03:58:09 (7 sec)


25 mm/s 5 mm/mV

**Ventricular Couplet (Shortest):** starting at 31-May-2018 19:07:29 (7 sec)

25 mm/s 5 mm/mV

**Ventricular Trigeminy (Longest):** starting at 04-Jun-2018 06:28:54 (7 sec)


25 mm/s 5 mm/mV

**Ventricular Beat of template V1:** starting at 01-Jun-2018 09:43:37 (7 sec)


25 mm/s 5 mm/mV

**Ventricular Beat of template V2:** starting at 02-Jun-2018 09:06:17 (7 sec)


25 mm/s 5 mm/mV

**Ventricular Beat of template V3:** starting at 31-May-2018 19:07:29 (7 sec)


25 mm/s 5 mm/mV

**Ventricular Beat of template V4:** starting at 31-May-2018 15:54:04 (7 sec)

25 mm/s 5 mm/mV

**Ventricular Beat of template V5:** starting at 01-Jun-2018 22:10:41 (7 sec)

25 mm/s 5 mm/mV



Automatic Strips

Ventricular Beat of template V6: starting at 01-Jun-2018 07:20:13 (7 sec)

25 mm/s 5 mm/mV

